Notification of fertilising product. – EU fertilisers (CE)

In order to notify a product for sale in Denmark, the following form and relevant documents must be completed and submitted to Jordbrugkontrol@sgav.dk

Please complete all forms in this letter that are relevant to your products, along with the label and delivery note (if available) as well as the safety data sheet (if the product requires preparation of this).

When notifying EU fertilisers, values must be provided in accordance with the <u>Forordning - 2019/1009 - EN - EUR-Lex</u>, <u>Gødningsbekendtgørelsen</u>, and <u>Gødningsloven</u>,

Some information is mandatory and other voluntary, this depends on the product and where it applies in the rules. For a complete overview of this, the Fertiliser Regulation, the Fertiliser Order and the Fertiliser Act should be read. The form is intended to give you the opportunity to provide the information you consider necessary for the product in accordance with the rules.

In addition, please refer to the guide on fertilising products, which can be found on the Guide on fertilising products, etc.

The following must be submitted together with the following form

Labelling and delivery note(if available): When notifying a product, the intended label and, if applicable, the delivery note must be attached to the notification. This marking must be equivalent to what a buyer would expect to meet in connection with a purchase.

Declaration of conformity: Documentation from a notified body confirming that the product complies with the rules of the Regulation for fertilising products, or in the case of a modual A product, a declaration acknowledging that the product complies with the applicable requirements for a module A product according to the rules.

If a new safety data sheet is prepared at a later date, this must be sent to the Agency.

Pesticide declaration must be completed for each product

Other relevant rules:

Fertilisation Order (exploitation % on organic products)

Read more about safety data sheet requirements here

REACH Regulation EUR-Lex - 02006R1907-20221217 - EN - EUR-Lex

Note, for CE fertilizers, information on nutrients such as minium must be provided on their Oxid form (not nitrogen), it is voluntary to specify the element form. Voluntary information is marked with *

contents

| General information about the product | 3 |
|--|----|
| Table 1 – Basic information for all types of products | 3 |
| Table 2. Product responsible company | 4 |
| Product Function Categories | 5 |
| CMC Component Material Category | 6 |
| Statement to the Danish Agency for Green Landscape and Aquatic Environglant protection function. | - |
| PFC 1 - Fertilizers | 8 |
| PFC 2: liming agents | 14 |
| PFC 3: SOIL IMPROVEMENT MATERIAL | 14 |
| PFC 4: GROWTH MEDIUM | 15 |
| PFC 5: INHIBITOR | 16 |
| PFC 6: BIOSTIMULANT FOR PLANTS | 16 |
| PFC 7: MECHANICAL FERTILISING PRODUCTS | 17 |

General information about the product Table 1 – Basic information for all types of products

| Basic information about your pr | oduct | |
|---|-----------------------------------|---|
| Complete trade name ink. Brand name e.g. "garden universal fertiliser" "Topline Universal fertiliser" or "npk 10-2-4" | | |
| Organic | ☐ Conventional, non-organic | |
| 3 | ☐ Can be used for organic farming | |
| | ☐ Organic product. | |
| Country of origin of the product For more, set comma between | | |
| Manufacturer's name, registered trade name or registered trade mark and postal address. For more, set comma between | | |
| Country of production For more, set comma between | | |
| ImporterDK, which brings the product into Denmark | | |
| ImporterEU placing a product from a third country on the Union market. For products produced outside the EU | | |
| Manufacturer | | |
| Name of company packaging the product* | | |
| Method of production | | |
| | | |
| Utilisation requirements* | | % |
| If not filled in, use standard values for the | | |
| product, cf. Sections 51, 52 and 54 of Order No | | |
| 898 of 2 July 2024. | | |
| Density (in liquid form) | | |

| ole company |
|--|
| sponsible for the product in accordance with Section 5 of Order No 1135 of 9 Jul |
| |
| nark, the company responsible for the product will in principle be importerDK. |
| cle 11, the company responsible for the product will in principle be importerDK |
| |
| enmark, the company responsible for the product will in principle be the |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

 $\boldsymbol{VAT}\,\boldsymbol{No}$ (in the case of foreign

operations)

Product Function Categories

| Product Function Categories ('PFCs') of EU fertilising products |
|---|
| □ PFC 1: Fertilization |
| □ PFC 1(A): ORGANIC FERTILISATION |
| □ PFC 1(A)(I): FIXED ORGANIC FERTILISATION |
| □ PFC 1(A)(II): FLYING ORGANIC FERTILISER |
| □ PFC 1(B): ORGANIC-MINERAL FERTILISATION |
| □ PFC 1(B)(I): FIXED ORGANIC-MINERAL FERTILISATION |
| □ PFC 1(B)(II): FLYING ORGANIAN MINERAL FERTILISER |
| □ PFC 1(C): IORGANIC FERTILIZATION |
| □ PFC 1(C)(I): IORGANIC MACHRONIC FERTILISER |
| □ PFC 1(C)(I)(A): FIXED UORGANIC MACHRONIC FERTILISER |
| □ PFC 1(C)(I)(A)(I): REN FAST UORGANIAN MACHRONIC FERTILISER |
| \square PFC 1(C)(I)(A)(II): COMPOSITION FIXED IORGANIC MACHRONIC FERTILISER |
| \square PFC 1(C)(I)(A)(I-II)(A): REN OR COMPOSATIVELY FIXED UORGANIAN |
| AMMONIUM NATIONAL FERTILISING WITH MACRONARING STOFFS AND HIGH |
| NITROGEN CONTENTS |
| □ PFC 1(C)(I)(B): FLYING IORGANIAN MACHRONIC FERTILISER |
| □ PFC 1(C)(I)(B)(I): REN FLYING IORGANIAN MACHRONIC FERTILISER |
| □ PFC 1(C)(I)(B)(II): COMPOSITION FLYING UORGANIAN |
| MACHINERY FERTILISER |
| □ PFC 1(C)(II): IORGANIC MICRONARY FERTILISATION |
| □ PFC 1(C)(II)(A): REN UORGANIAN MICRONARY FERTILISATION |
| □ PFC 1(C)(II)(B): MATTER IORGANIC MICRONARY FERTILISATION |
| |
| □ PFC 2: CALCULATING METHOD |
| □ PFC 3: WORLD IMPROVEMENT MATERIAL |
| □ PFC 3(A): ORGANIC IMPROVEMENT MATERIAL |
| ☐ PFC 3(B): IORGANIC IMPROVEMENT MATERIAL |
| □ PFC 4: GROWTH MEDIUM |
| □ PFC 5: HÆMMER |
| □ PFC 5(A): NITRIFICATION CHARACTERISTICS |
| □ PFC 5(B): DENITRIFICATION CHARACTERISTICS |
| □ PFC 5(C): UREASEHÆMMER |
| ☐ PFC 6: BIOSTIMULANT FOR PLANTS |
| ☐ PFC 6(A): MICROBIAL BIOSTIMULANT FOR PLANTS |
| ☐ PFC 6(B): NON-MICROBIAL BIOSTIMULANT FOR PLANTS |
| □ PFC 7· MECHANICAL FERTILISING PRODUCTS |

CMC Component Material Category

An EU fertilising product shall consist exclusively of component materials that comply with the requirements for one or more of (CMC) set out in the EU Regulation 2019/1009 of 5 June 2019.

The component materials and the input materials used to produce them shall not contain any of the substances for which maximum residue limits are set out in Annex I to Regulation (EU) 2019/1009 of 5 June 2019 in such quantities as to jeopardise the EU fertilising product's compliance with the applicable requirements set out in that Annex.

| Component material categories (CMCs) |
|---|
| ☐ CMC 1: Substances and mixtures of virgin materials |
| ☐ CMC 2: Plants, parts of plants or plant extracts |
| ☐ CMC 3: Compost |
| ☐ CMC 4: Degassed biomass from fresh crops |
| ☐ CMC 5: Degassed biomass other than fresh crop degassed biomass |
| ☐ CMC 6: By-products from the food industry |
| ☐ CMC 7: Microorganisms |
| ☐ CMC 8: Nutrient polymers |
| ☐ CMC 9: Polymers other than nutrient polymers |
| ☐ CMC 10: Derived products within the meaning of Regulation (EC) No 1069/2009 |
| ☐ CMC 11: By-products within the meaning of Directive 2008/98/EC |
| ☐ CMC 12: Precipitated phosphate salts and derivatives |
| ☐ CMC 13: Thermal oxidation materials and derivatives |
| ☐ CMC 14: Pyrolysis and gasification materials |
| ☐ CMC 15: High purity recovered materials |

Statement to the Danish Agency for Green Landscape and Aquatic Environment on pesticide or plant protection function.

| Does the product in question and/or its constituents protect plants and/or plant products from pests and/or prevent infestation by such pests? |
|--|
| YES: □ |
| NO 🗆 |
| Does the product or its constituents affect the life processes of plants, e.g. by affecting the growth of plants, other than as a nutrient or biostimulant according to <u>Gødningsbekendtgørelsen</u> for plants? |
| YES: □ |
| NO 🗆 |
| Does the product or ingredients in the product preserve plants? |
| YES: □ |
| NO □ |
| Does the product and/or its constituents destroy unwanted plants and/or parts of plants other than algae? |
| YES: □ |
| NO □ |
| Does the product and/or its constituents slow down or prevent the unwanted growth of plants other than algae? |
| YES: □ |
| NO □ |
| In case of doubt as to whether the product contains pesticide or plant protection substances, see the EU-Pesticid database here: <u>EU Pesticides Database - Active substances (europa.eu)</u> |

PFC 1 - Fertilizers

| % % |
|---------------------|
| |
| |
| % |
| |
| |
| |
| |
| |
| |
| |
| If the itrients, |
| ı (% by mass) |
| %* |
| %* |
| % * |
| %* |
| %* |
| %* |
| %* |
| % * |
| |
| % |
| |
| ı (% by mass) |
| %* |
| %* |
| %* |
| • |
| %* |
| %* %* |
| |

| Iron (Fe) | Total | % | % * |
|------------|---------------|---|------------|
| non (re) | Water soluble | % | % * |
| Manganese | Total | % | %* |
| (Mn) | Water soluble | % | %* |
| Molybdenum | Total | % | %* |
| (Mo) | Water soluble | % | %* |
| Zinc (Zn) | Total | % | %* |
| | Water soluble | % | % * |

| PFC 1(B): ORGANIC-MINERAL | Oxide form (% by mass) | Elemental form (% by mass | (% by mass) |
|--|---|---------------------------|--------------|
| FERTILISATION | | | |
| Physical shape of the product: □Gra | nulate, \square Pelletised, \square | Powder, ☐ Particles, ☐ | iquid |
| Dry matter content | | | % |
| Organic carbon (Corg) | | | % |
| Total nitrogen | | | % |
| Nitrate | | | % |
| Ammonium | | | % |
| Urea | | | % |
| Other nitrogen content* | | | % |
| Organic Nitrogen (N_org) (Minimum amount of organic nitrogen to be provided) | | | % |
| Total phosphorus | 9/ | %* | |
| Water-soluble phosphorus | % | %* | |
| Phosphorus soluble in neutral ammonium citrate | % | %* | |
| Phosphorus soluble in formic acid (Soft Crude Phosphate) | % | %* | |
| Total Potassium | 9/ | Ó | % |
| Water-soluble potassium | % | Ó | % |

Total Magnesium, Calcium, Sulphur and Sodium should be reported as follows: Where these nutrients are completely water-soluble, only the water-soluble content shall be declared. Where the soluble content of these nutrients represents at least one quarter of the total content of these nutrients, the total content and the water-soluble content shall be declared.

| | | Oxidform | | Elemental form | (% by |
|--------------------|---------------|-------------|---|----------------|------------|
| | | (% by mass) | | mass) | r |
| Calcium | Total | | % | | % * |
| (Ca) | Water soluble | | % | | % * |
| Magnesium | Total | | % | | % * |
| (Mg) | Water soluble | | % | | % * |
| Sodium (Na) | Total | | % | | % * |
| | Water soluble | | % | | % * |
| Sulphur (S) | Total | | % | | % * |
| | Water soluble | | % | | % * |
| Boron (B) | Total | | % | | % * |
| DOTOII (D) | Water soluble | | % | | %* |
| Cobalt (Co) | Total | | % | | % * |
| | Water soluble | | % | | % * |
| Copper (Cu) | Total | | % | | % * |
| | Water soluble | | % | | %* |
| Iron (Fe) | Total | | % | | % * |

| | Water soluble | % | % * |
|------------|---------------|---|------------|
| Manganese | Total | % | % * |
| (Mn) | Water soluble | % | % * |
| Molybdenum | Total | % | % * |
| (Mo) | Water soluble | % | % * |
| Zinc (Zn) | Total | % | % * |
| | Water soluble | % | % * |

Name of added nitrification, denitrification or urease inhibiting compounds:

| If used, name of chelating agent: | Added inhibitor: The nitrification inhibiting compound content shall be expressed as a percentage by mass of total nitrogen (N) present as ammonium nitrogen (NH ₄₊) and urea nitrogen (CH ₄ N ₂ O) The denitrification inhibiting compound content shall be expressed as a percentage by mass of the nitrate present (NO ₃₊) The urease inhibiting compound content shall be expressed as a percentage by mass of total nitrogen (N) present as urea nitrogen (CHaN ₂ O). | |
|-----------------------------------|---|---|
| Quantity of chelated/complexed | | |
| micronutrients | Quantity of chelated/complexed | 9 |

Micronutrients:

(Information on micronutrient content is optional in some cases)

The total micronutrient content shall be reported as follows:

Where the micronutrient is completely water-soluble, only the water-soluble content shall be declared;

Where the soluble content of the micronutrient represents at least one quarter of the total content of the micronutrient, the total content and the water-soluble content shall be declared;

In other cases, the total content shall be declared

| | | Oxidform (% by mass) | | Elemental form (% b | y mass |
|-------------------|---------------|-------------------------|---|---------------------|------------|
| Boron (B) | Total | | % | | % * |
| BOTOII (D) | Water soluble | | % | | % * |
| Cobalt (Co) | Total | | % | | % * |
| Cobait (co) | Water soluble | | % | | % * |
| Copper | Total | | % | | % * |
| (Cu) | Water soluble | | % | | % * |
| Iron (Fe) | Total | | % | | % * |
| Hon (10) | Water soluble | | % | | % * |
| Manganese | Total | | % | | % * |
| (Mn) | Water soluble | | % | | % * |
| Molybdenum | Total | | % | | % * |
| (Mo) | Water soluble | | % | | % * |
| Zinc (Zn) | Total | | % | | % * |
| | Water soluble | | % | | %* |

| PFC 1(C): INORG | GANIC FERTILIZATION | Oxide form (% by mass) | | Elemental for by mass) | m (% | Percentage by volume (liquid only, PFC 1(C)(I)(b)) |
|---|---|------------------------|--------------|------------------------|------------|--|
| | Physical shape of the | product: □Granulate, | | l lletised, □ Po | wder | |
| Total nitrogen (| | product. Dorandiate, | | | % % | |
| 1 0 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | Nitrate | | | | % | |
| | Ammonium | | | | % | |
| | Urea | | | | % | |
| | Ureaformaldehyde | | | | % | |
| | isobutylidene diurea | | | | % | |
| | crotonylidendiurea | | | | % | |
| | cyanamide nitrogen | | | | % | % vol |
| Other nitrogen. | | | | | % | % vol |
| | us (if applicable) | | % | | % | % vol |
| | Water-soluble | | % | | %* | % vol |
| | phosphorus | | | | | |
| | Neutral ammonium citrate soluble | | % | | %* | % vol |
| | phosphorus | | | | | |
| | Phosphorus Soluble in Formic Acid (Soft | | % | | %* | % vol |
| Matar salubla r | Crude Phosphate) | | 0/ | , | %* | 9/ 1/0 |
| Water-soluble p | | | 9/ | | | |
| Calcium (Ca) | Total | | % | | %* | % vol |
| | Water soluble | | % | | %* | % vol |
| Magnesium | Total | | % | | % * | % vol |
| (Mg) | Water soluble | | % | | % * | % vol |
| Sodium (Na) | Total | | % | | % * | % vol |
| Sourum (Na) | Water soluble | | % | | %* | % vol |
| | Total | | % | | %* | % vol |
| Sulphur (S) | Water soluble | | % | | % * | % vol |
| | Total | | % | | %* | % vol |
| Boron (B) | Water soluble | | % | | %* | % vol |
| | | | | | %* | |
| Cobalt (Co) | Total | | % | | | % vol |
| | Water soluble | | % | | %* %* | % vol |
| Copper (Cu) | Total | | % | | %* | % vol |
| (Cu) | Water soluble | | % | | %* | % vol |
| Iron (Fe) | Total | | % | | % * | % vol |
| non (10) | Water soluble | | % | | % * | % vol |
| Manganese | Total | | % | | %* | % vol |
| (Mn) | Water soluble | | % | | %* | % vol |
| Molybdenum | Total | | % | | %* | % vol |
| (Mo) | Water soluble | | % | | %* | % vol |
| Zinc (Zn) | Total | | % | | %* | % vol |

| | Water soluble | | | % | | % * | | % vol |
|---|---|--------------------------------------|------------|---|--|------------|--|-------|
| Name of added nitrification, denitrification or urease inhibiting compounds concent | | | | | | | | ion: |
| | | | | | | | | |
| Added inhibitor | : | | | | | | | % |
| as a percentage by ma ammonium nitrogen (The denitrification in expressed as a percen | oiting compound content shall ass of total nitrogen (N) prese (NH4+) and urea nitrogen (CHhibiting compound content slage by mass of the nitrate procompound content shall be e | ent as H4N2O) nall be resent (NO3·) | | | | | | |
| percentage by mass o nitrogen (CH4N2O). | f total nitrogen (N) present as | s urea | | | | | | |
| | | Other | substances | : | | | | Unit |
| | | | | | | | | |
| | | | | | | | | |
| | _ | | | | | • | | |

PFC 2: liming agents

| Liming agents | | | | | | |
|----------------------|------------------------------------|---|----------------------|---------|--|---|
| | Oxide form (% by mass) | | Elemental form (% by | / mass) | | |
| Neutralising ability | | | | | | % |
| Total Calcium | | % | | %* | | |
| Total Magnesium | | % | | %* | | |
| | Other substances* (if applicable): | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

PFC 3: SOIL IMPROVEMENT MATERIAL

| SOIL IMPROVEMENT MATERIAL | Oxidform (% by mass) | Elemental form (% by | mass) | | |
|---|-------------------------|----------------------|-------|----------|------|
| pH (only for organic soil improvers) | | | | | |
| Organic carbon (Corg) (only for organic soil improvers) | | | | | |
| Organic nitrogen (Norg) (minimum amount to be reported in organic soil improvers) | | | | | |
| Total nitrogen (N) (to be reported if the product contains more than 0,5 %) | | 9 | % | | |
| Total Phosphorus (P) (to be reported if the product contains more than 0,5 %) | % | | %* | | |
| Total Potassium (K) (to be reported if the product contains more than 0,5 %) | % | | %* | | |
| Dry matter content | | | | | % |
| Electrical conductivity (only for organic soil improvers) | | | | | mS/m |
| Other substances* (if applicable): | | | | quantity | Unit |
| | | | | | |
| | | | | | |
| | | | | | |

PFC 4: GROWTH MEDIUM

| GROWTH MEDIUM | Oxidform | | Elemental form* | | |
|---|----------------------|------|-----------------|----------|------|
| рН | | | | | |
| Total Nitrogen (N) (Content that can be extracted using CaCl2/DTPA (calcium chloride/diethylenetriaminepentaacetic acid; 'CAT soluble') must be reported if the content is above 150 mg/l) | | | mg/l* | | |
| Total phosphorus (P) (Content that can be extracted using CaCl2/DTPA (calcium chloride/diethylenetriaminepentaacetic acid; 'CAT soluble') must be reported if the content is above 20 mg P2Os/I) | | ng/l | mg/l* | | |
| Total Potassium (K) (Content that can be extracted using CaCl2/DTPA (calcium chloride/diethylenetriaminepentaacetic acid; 'CAT soluble') must be reported if the content is above 20 mg K ₂ O/I) | | ng/l | mg/l* | | |
| Electrical conductivity | | | | | mS/m |
| Other substar | nces, if applicable* | : | | Quantity | Unit |
| | | | | | |
| | | | | | |

PFC 5: INHIBITOR

| Inhibitor | | | | | Quantity | | |
|----------------------------------|---------------------|---------|-----------------|-----------|----------|-------|--|
| Inhibiting compound: | | | | | | | |
| The other ingredients are: | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| PFC 6: BIOSTIMULANT FOR | PLANTS | | | | | | |
| BIOSTIMULANT FOR PLANTS | | | | | | | |
| Physical shape of the product: [| ∃Granulate, 🗆 Pel | letised | , 🗌 Powder, 🗌 P | articles, | □Liquid | | |
| Microorganisms | (relevant for micro | bial bi | ostimulants) | | Quantity | | |
| | | | | | | Cfu/g | |
| | | | | | | Cfu/g | |
| | | | | | | Cfu/g | |
| | | | | | | Cfu/g | |
| Active ingredients (relevant for | non-microbial bio | stimula | ants)* | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Nutrients (if applicable)*: | Oxidform | | Elemental form | <u> </u> | | other | |
| | | %* | | %* | | | |
| | | %* | | %* | | | |
| | | %* | | %* | | | |
| | | 0/* | | 0/* | | | |

PFC 7: MECHANICAL FERTILISING PRODUCTS

Total

Water soluble

Boron (B)

| MECHANICAL F | ERTILISING PRODUCTS | I | | | | | |
|---|--|--|----------------------|--|-------------|------------------------|-----------|
| | Microorganisms | (relevant fo | or microbial l | biostimulants |) | | |
| | | | | | | Cf | u/g |
| | | | | | | Cf | u/g |
| | | | | | | Cf | u/g |
| | | | | | | Cf | u/g |
| Physical shape | of the product: □Gran | ulate, 🗌 P | elletised, \square | Powder, \square | Particles, | □Liquid | |
| Total nitrogen (| if applicable) | | | | % | | % vol |
| | Nitrate | | | | % | | % vol |
| | Ammonium | | | | % | | % vol |
| | Urea | | | | % | | % vol |
| | Ureaformaldehyde | | | | % | | % vol |
| | isobutylidene diurea | | | | % | | % vol |
| | crotonylidendiurea | | | | % | | % vol |
| | cyanamide nitrogen | | | | % | | % vol |
| Other nitrogen | | | | | % | | % vol |
| Total Phosphor | us (if applicable) | | % | | % | | % vol |
| | Water-soluble | | % | | %* | | % vol |
| | phosphorus | | | | | | |
| | Neutral ammonium | | % | | %* | | % vol |
| | citrate soluble | | | | | | |
| | phosphorus | | 2,4 | | 0.44 | | 0,4 |
| Phosphorus Soluble | | | % | | %* | | % vol |
| in Formic Acid (Soft | | | | | | | |
|) | Crude Phosphate) | | 0/ | | %* | | 0/ |
| Water-soluble բ | | anosium C | alaium Sulah | Lur and Cadiu | | be reported as | % vol |
| Where the | rotal ivia ese nutrients are comp | - | | | | • | |
| | oluble content of these | | | • | | | |
| Where the 30 | | | • | • | | ntent shall be o | |
| | Tractice. | | ar conterit an | a the water s | 0.00.00 | meene snan be e | .co.a.ca. |
| Calcium | Total | | % | | %* | | % vol |
| (Ca) | Water soluble | | % | | % * | | % vol |
| Magnesium | Total | | % | | %* | | % vol |
| (Mg) | Water soluble | | % | | % * | | % vol |
| Sodium (Na) | Total | | % | | %* | | % vol |
| 2 2 22222 (2 12) | Water soluble | | % | | % * | | % vol |
| Sulphur (S) | Total | | % | | %* | | % vol |
| Sulphur (3) | Water soluble | | % | | %* | | % vol |
| The total micronutrie Where the micronutr | onutrient content is optional in ent content shall be reported as rient is completely water-solubl entent of the micronutrient rep et shall be declared; | some cases) follows: le, only the wate | | t shall be declared; e total content of t | he micronut | rient, the total conte | |

%

%

%*

%*

% vol

% vol

| Cobalt | Total | % | %* | % vol |
|------------------|---------------|---|------------|-------|
| (Co) | Water soluble | % | % * | % vol |
| Copper | Total | % | %* | % vol |
| (Cu) | Water soluble | % | %* | % vol |
| Iron (Fe) | Total | % | %* | % vol |
| Hon (Fe) | Water soluble | % | % * | % vol |
| Manganese | Total | % | %* | % vol |
| (Mn) | Water soluble | % | %* | % vol |
| Molybdenu | Total | % | %* | % vol |
| m (Mo) | Water soluble | % | %* | % vol |
| Zinc (Zn) | Total | % | %* | % vol |
| | Water soluble | % | % * | % vol |

Name of added nitrification, denitrification or urease inhibiting compounds:

| | % |
|---|---|
| Added inhibitor: | |
| The nitrification inhibiting compound content shall be expressed as a percentage by mass of total nitrogen (N) present as | |
| ammonium nitrogen (NH4+) and urea nitrogen (CH4N2O) | |
| The denitrification inhibiting compound content shall be | |
| expressed as a percentage by mass of the nitrate present (NO ₃ ·) | |
| The urease inhibiting compound content shall be expressed as a | |
| percentage by mass of total nitrogen (N) present as urea nitrogen | |
| (CH ₄ N ₂ O). | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| Other compounds | |